

Patient Empowerment by increased knowledge and practice

Margareta Haag Chair Swedish Association of Chronic Oedema (SÖF) Stockholm. Sweden
Helena Janlöv Remnerud RN Lymphtherapist, Clinical Advisor SÖF Stockholm Sweden

References

1. Ridner SH, Fu MR, Wanchai A et al. Self-Management of Lymphedema. *Nurs Res* 2012; 61(4):291-299
2. Damstra R. The role of self-management. *Best Practice for the management of Lymphoedema* 2012; 2(3):18
3. Remnerud HJ, Haag M Lympho-logical thinking in self-management of lymphoedema. *Wounds International* 2015; 6(3)22-26
4. Johansson K Albertson M Ingvar C et al.. Effects of compression bandaging with or without Manual Lymph Drainage treatment in patients with post arm lymphedema. *Lymphology* 1999;32:103-110
5. Sneddon M, Quéré I Adapting compression bandaging for different patient groups. *Best practice for the management of Lymphoedema* 2012; 2(3):32-48
6. Williams A. A review of the evidence for adjustable compression wrap devices. *Journal of Wound Care*. 2016; 25(5):242-247
7. Moseley L, Piller NB Exercise for limb lymphoedema: evidence that it is beneficial. *Journal of Lymphoedema* 2008; 3(1) 51-56
8. Zaleska M, Olszewski WL, Durlik M. The effectiveness of Intermittent Pneumatic Compression in long-term therapy of lymphedema of lower limbs. *Lymphat Res Biol* 2014;12(2):103-9.
9. Smoot B, Chiavola-Larsson L, Lee J et al Effect of low-level laser therapy on pain and swelling in women with breast cancer related lymphedema: a systematic review and meta-analysis. *J Cancer Surviv* 2015; 9:287-304
10. Fong SS et al Effects of Qigong exercise on upper limb lymphedema and blood flow in survivors of breast cancer: a pilot study. *Integr Cancer Ther* 2014; 13(1):54-61
11. Bosman J, Piller NB Lymph taping and seroma formation post breast cancer. *Journal of Lymphoedema* 2015; 5(5):12-21.
12. Jahr S, Shoppe B, Reissbauer A. Effect of treatment with low intensity and extremely low frequency electrostatic fields (Deep Oscillation) on breast tissue and pain in patients with secondary breast lymphoedema. *J Rehabil Med* 2008; 40(8):645-650